



BRAKE FLUID DOT 4

Synthetic Brake Fluid

Description

Brake Fluid Dot is a synthetic brake fluid having the following properties:

- A very low pourpoint
- A very good compatibility with sealings and gaskets
- Minimal signs of corrosion
- High reflux- and wet boiling point

Quality level

SAE J-1703
FMVSS 116 DOT 4

Available in

Cartons of 24x250 MI, 24x1 L and 6x5 L.
Barrels of 30, 60 and 208 L.

Application

Applicable for all hydraulic brake systems with drum or diskbrakes, requiring a synthetic SAE J 1703/DOT 4 brake fluid type.

Photo



Typical properties

Density 20°C	1.040
Kinematic Viscosity cst - 40°C	1400
Kinematic Viscosity cst 100°C	2.1
Ph	8.5
Reflux Boiling Point (ERBP)°C	263
Wet Boiling point (WERBP)°C	165

Average oil analysis without engagement



DENICOL MOTOR OILS N.V. • Kromstraat 54 • 2520 Ranst (Antwerp-Belgium)
TEL +32 (0)3.485.81.91. - +32.(0)3.485.81.92. • FAX +32 (0)3.485.81.93.
URL <http://www.denicol.com> • EMAIL denicol@denicol.com